

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	463	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 17:16
L2	1	1 and (deriv\$3 with knowledge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 17:17
L3	427	(deriv\$6 near3 relation) with (bas\$2 template default generic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 17:17
L4	8	3 and logic with rules	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/02 17:18
L5	1171	(deriv\$6 near3 relation)	US-PGPUB	OR	ON	2006/08/02 17:18
L6	339	5 and knowledge	US-PGPUB	OR	ON	2006/08/02 17:18
L7	116	6 and rules	US-PGPUB	OR	ON	2006/08/02 17:18
L8	14	7 and ((generating building) with application)	US-PGPUB	OR	ON	2006/08/02 17:19
S1	44	meta with knowledge with model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:00
S2	11	S1 and key and fact and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:33
S3	8	US-5884230-\$.DID. OR US-5808918-\$.DID. OR US-5612895-\$.DID. OR US-5579250-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:32

## EAST Search History

S4	49	meta with knowledge with model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:34
S5	1	S4 and key and (base near2 class) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:33
S6	1	S4 and key and (base near2 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:33
S7	1	S4 and (base near2 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:34
S8	79	meta same (knowledge with model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:34
S9	8	S8 and (base near2 class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:35
S10	243	((base near2 class) same objects same model) and ((object adj oriented) object\$1oriented) and software and representation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:36
S11	54	S10 and ((plurality multiple cuncurrent several) with client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:37
S12	44	S11 and ((build\$3 model\$4 generat\$3) with (software application program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:38
S13	29	S12 and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 10:44

## EAST Search History

S14	12	S13 and meta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:03
S15	408	706/47.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:06
S16	37	S15 and model and client and relation and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:06
S17	26	S16 and meta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:04
S18	24	S17 and (abstract\$4 with model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:06
S19	1053	706/46,47,59-61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:06
S20	71	S19 and model and client and relation and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:08
S21	28	S20 and (abstract\$4 with model) and meta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:07
S22	36	S20 and meta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:08
S23	8	S22 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:08

## EAST Search History

S24	48	("4930071"   "5133075"   "5161225"   "5181162"   "5201046"   "5212787"   "5235701"   "5261080"   "5291583"   "5295256"   "5295261"   "5303379"   "5317742"   "5398336"   "5421015"   "5426780"   "5437027"   "5448727"   "5499371"   "5504885"   "5548749"   "5596746"   "5615362"   "5765159"   "5799309"   "5873093"   "6122641"   "6223227").PN. OR ("6374252"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/25 11:10
S25	7	S24 and meta	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/25 11:30
S26	3	(knowledge\$1oriented (knowledge adj oriented)) with software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 11:43
S27	49	(meta with knowledge with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 17:36
S28	136	((run\$1time (run adj time)) near model) and knowledge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 17:36
S29	33	S28 and database and clients and (object\$1oriented (object adj oriented))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 17:38
S30	11	S29 and (knowledge near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:04

## EAST Search History

S31	1	(knowledge near model) and (meta near3 model) and (definition near2 model) and (catalog near2 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:04
S32	4	(knowledge near model) and (meta near3 model) and (definition near2 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:04
S33	8	(US-20020073236-\$ or US-20030023413-\$).did. or (US-6374252-\$ or US-4658370-\$ or US-6701381-\$ or US-5539862-\$ or US-5842193-\$ or US-6415275-\$). did.	US-PGPUB; USPAT	OR	ON	2005/07/26 16:40
S34	0	S33 and cardinal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:40
S35	0	S33 and ordinal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:40
S36	2	"20030069871".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:32
S37	416	(deriv\$6 near3 relation) with (bas\$2 template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 15:31
S38	427	(deriv\$6 near3 relation) with (bas\$2 template default generic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 15:31

## EAST Search History

S39	21	S38 and database and (relation with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 17:20
S40	1	S39 and (without with relational with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 17:17
S41	158	knowledge with definition with model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/24 09:47